#4

SEQUENCE LISTING

<110>   Conaty, Jason Francis
        Hendry, Philip
        Lockett, Trevor John

<120>   MINIRIBOZYMES ACTIVE AT LOW MAGNESIUM ION CONCENTRATIONS

<130>   65340

<140>   65340
<141>   2001-06-22

<160>   74

<170>   PatentIn version 3.1

<210>   1
<211>   15
<212>   RNA
<213>   Artificial Sequence

<220>
<223>   ribozyme

<220>
<221>   misc_feature
<222>   (8)..(9)
<223>   n = c, g, a, u/t

<220>
<221>   misc_feature
<222>   (10)..(11)
<223>   h = c, a, u/t

<400>   1
cugagagnnh hcgaa   15

<210>   2
<211>   16
<212>   RNA
<213>   Artificial Sequence

<220>

<223> ribozyme

<220>
<221> misc_feature
<222> (9)..(9)
<223> n = c, g, a, u/t

<220>
<221> misc_feature
<222> (8)..(8)
<223> h = c, a, u/t

<220>
<221> misc_feature
<222> (10)..(12)
<223> h = c, a, u/t

<400> 2
cugagaghnh hhcgaa
    16

<210> 3
<211> 65
<212> DNA
<213> Artificial Sequence

<220>
<223> N18gOT65mer (T3 promoter)

<220>
<221> misc_feature
<222> (19)..(36)
<223> n = c, g, a, t

<400> 3
ctcggtaccg ttgatcctnn nnnnnnnnnn nnnnnttgc attgggcctt tagtgagggt
    60

taatt
    65

<210> 4

```
<211>    29
<212>    RNA
<213>    Artificial Sequence

<220>
<223>    IL2bioS29mer (cleavage substrate)

<400>    4
cucgguaccg uugauccugu cuugcauaa
     29


<210>    5
<211>    66
<212>    DNA
<213>    Artificial Sequence

<220>
<223>    N4gOT66mer (T7 promoter)

<220>
<221>    misc_feature
<222>    (25)..(28)
<223>    n = c, g, a, t


<400>    5
ctcggtaccg ttgatcctgt ttcgnnnnct catcagttgc attgggccct atagtgattc
     60

gtatta
     66


<210>    6
<211>    69
<212>    DNA
<213>    Artificial Sequence

<220>
<223>    N5gOT 67-mer (T7 promoter)

<220>
<221>    misc_feature
<222>    (27)..(31)
<223>    all n = c, g, a, t
```

<400> 6
mrctcggtac cgttgatcct gtttcgnnnn nctcatcagt tgcattgggc cctatagtga
    60

gtcgtatta
    69

<210> 7
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> T3 15mer (T7 promoter)

<400> 7
aattaaccct cacta
    15

<210> 8
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> P1 17mer (T7 promoter)

<400> 8
ctcggtaccg ttgatcc
    17

<210> 9
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> P2 38mer (T7 promoter)

<400> 9
gagggatcct aatacgactc actataggcc caatgcaa
    38

<210> 10

```
<211>    40
<212>    DNA
<213>    Artificial Sequence

<220>
<223>    P3 40mer (T7 promoter)

<400>    10
gagggatcct aatacgactc actatagggc ccaatgcaac
     40


<210>    11
<211>    17
<212>    RNA
<213>    Artificial Sequence

<220>
<223>    KrS17 (17mer substrate)

<400>    11
uugcgagucc acacugg
     17


<210>    12
<211>    19
<212>    RNA
<213>    Artificial Sequence

<220>
<223>    IL2S19 (19mer substrate)

<400>    12
aacuccuguc uugcauugc
     19


<210>    13
<211>    15
<212>    RNA
<213>    Artificial Sequence

<220>
<223>    IL2S15 (15mer substrate)

<400>    13
uccugucuug cauug
```

15

```
<210>   14
<211>   34
<212>   RNA
<213>   Artificial Sequence

<220>
<223>   KrMc10 (34mer miniribozyme)

<400>   14
uccagugugc ugaugaggua acgaaacucg caaa
    34


<210>   15
<211>   42
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   KrRz (42mer ribozyme)

<400>   15
cuccagugug cugaugaguc cuuuuggacg aaacucgcaa at
    42


<210>   16
<211>   34
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   IL2Mc10 (34mer miniribozyme)

<400>   16
gcaaugcaac ugaugaggua acgaaacagg agut
    34


<210>   17
<211>   40
<212>   DNA
<213>   Artificial Sequence

<220>
```

<223>   IL2Rz (40mer ribozyme)

<400>   17
gcaaugcaac ugaugagucc uuuuggacga aacaggagut
    40

<210>   18
<211>   36
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   PDGF293 MR1 (36-mer miniribozyme)

<400>   18
cagcuuccuc cugaugaggu aacgaaaugc uucuct
    36

<210>   19
<211>   36
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   PDGF293 MR2 (36-mer miniribozyme)

<400>   19
cagcuuccuc cugaugaggt aacgaaaugc uucuct
    36

<210>   20
<211>   36
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   PDGF293 MR3 (36-mer miniribozyme)

<400>   20
cagcttcctc cugaugaggt aacgaaaugc ttctct
    36

<210>   21
<211>   36

<212> DNA
<213> Artificial Sequence

<220>
<223> PDGF293 MR4 (36-mer miniribozyme)

<400> 21
cagcttcctc cugaugaggu aacgaaaugc uucuct   36

<210> 22
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> PDGF293 MR5 (36-mer miniribozyme)

<220>
<221> modified_base
<222> (19)..(19)
<223> um

<220>
<221> modified_base
<222> (21)..(21)
<223> fC= 2' fluorocytidine

<400> 22
cagcuuccuc cugaugagua cgaaaugcuu cuct   34

<210> 23
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> PDGF293 MR6 (38-mer miniribozyme)

<220>
<221> modified_base
<222> (12)..(13)
<223> ps=phosphorothioate linkage

```
<220>
<221>  modified_base
<222>  (1)..(1)
<223>  cm


<220>
<221>  modified_base
<222>  (4)..(4)
<223>  cm


<220>
<221>  modified_base
<222>  (7)..(8)
<223>  cm


<220>
<221>  modified_base
<222>  (10)..(11)
<223>  cm


<220>
<221>  modified_base
<222>  (30)..(30)
<223>  cm


<220>
<221>  modified_base
<222>  (33)..(33)
<223>  cm


<220>
<221>  modified_base
<222>  (35)..(35)
<223>  cm


<220>
<221>  modified_base
<222>  (5)..(6)
<223>  um
```

<220>
<221> modified_base
<222> (9)..(9)
<223> um

<220>
<221> modified_base
<222> (15)..(15)
<223> um

<220>
<221> modified_base
<222> (28)..(28)
<223> um

<220>
<221> modified_base
<222> (31)..(32)
<223> um

<220>
<221> modified_base
<222> (34)..(34)
<223> um

<220>
<221> modified_base
<222> (36)..(37)
<223> ps=phosphorothioate linkage

<220>
<221> modified_base
<222> (38)..(39)
<223> ps=phosphorothioate linkage

<400> 23
cagcuuccuc cugaugaggt aacgaaaugc uucuctstst
    40

```
<210>   24
<211>   28
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   PDGF293 MR7 (28-mer miniribozyme)

<220>
<221>   modified_base
<222>   (1)..(2)
<223>   um


<220>
<221>   modified_base
<222>   (5)..(5)
<223>   um


<220>
<221>   modified_base
<222>   (11)..(11)
<223>   um


<220>
<221>   modified_base
<222>   (24)..(24)
<223>   um


<220>
<221>   modified_base
<222>   (28)..(28)
<223>   um


<220>
<221>   modified_base
<222>   (3)..(4)
<223>   cm


<220>
<221>   modified_base
<222>   (6)..(7)
```

<223>   cm

<220>
<221>   modified_base
<222>   (26)..(26)
<223>   cm

<220>
<221>   modified_base
<222>   (8)..(9)
<223>   ps = phosphorothioate linkage

<400>   24
uuccuccuga ugaggtaacg aaaugcut
    28

<210>   25
<211>   32
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   PDGF293-MR8 (32-mer miniribozyme)

<220>
<221>   modified_base
<222>   (2)..(2)
<223>   cm

<220>
<221>   modified_base
<222>   (5)..(6)
<223>   cm

<220>
<221>   modified_base
<222>   (8)..(9)
<223>   cm

<220>
<221>   modified_base

```
<222>    (28)..(28)
<223>    cm


<220>
<221>    modified_base
<222>    (31)..(31)
<223>    cm


<220>
<221>    modified_base
<222>    (3)..(4)
<223>    um


<220>
<221>    modified_base
<222>    (7)..(7)
<223>    um


<220>
<221>    modified_base
<222>    (13)..(13)
<223>    um


<220>
<221>    modified_base
<222>    (26)..(26)
<223>    um


<220>
<221>    modified_base
<222>    (29)..(30)
<223>    um


<220>
<221>    modified_base
<222>    (10)..(11)
<223>    ps = phosphorothioate linkage


<400>    25
gcuuccuccu gaugaggtaa cgaaaugcuu ct
```

32

<210> 26
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> PDGF293 MR9 (36-mer miniribozyme)

<220>
<221> modified_base
<222> (1)..(1)
<223> cm

<220>
<221> modified_base
<222> (4)..(4)
<223> cm

<220>
<221> modified_base
<222> (7)..(8)
<223> cm

<220>
<221> modified_base
<222> (10)..(11)
<223> cm

<220>
<221> modified_base
<222> (30)..(30)
<223> cm

<220>
<221> modified_base
<222> (33)..(33)
<223> cm

<220>

```
<221>   modified_base
<222>   (35)..(35)
<223>   cm


<220>
<221>   modified_base
<222>   (5)..(6)
<223>   um


<220>
<221>   modified_base
<222>   (9)..(9)
<223>   um


<220>
<221>   modified_base
<222>   (15)..(15)
<223>   um


<220>
<221>   modified_base
<222>   (28)..(28)
<223>   um


<220>
<221>   modified_base
<222>   (31)..(32)
<223>   um


<220>
<221>   modified_base
<222>   (34)..(34)
<223>   um


<220>
<221>   modified_base
<222>   (12)..(13)
<223>   ps = phosphorothioate linkage


<400>   26
```

```
cagcuuccuc cugaugaggt aacgaaaugc uucuct
     36
```

<210> 27
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> PDGF293 MR10 (40-mer miniribozyme)

<220>
<221> modified_base
<222> (3)..(3)
<223> cm

<220>
<221> modified_base
<222> (6)..(6)
<223> cm

<220>
<221> modified_base
<222> (9)..(10)
<223> cm

<220>
<221> modified_base
<222> (12)..(13)
<223> cm

<220>
<221> modified_base
<222> (32)..(32)
<223> cm

<220>
<221> modified_base
<222> (37)..(37)
<223> cm

```
<220>
<221>   modified_base
<222>   (7)..(8)
<223>   um


<220>
<221>   modified_base
<222>   (11)..(11)
<223>   um


<220>
<221>   modified_base
<222>   (17)..(17)
<223>   um


<220>
<221>   modified_base
<222>   (30)..(30)
<223>   um


<220>
<221>   modified_base
<222>   (33)..(34)
<223>   um


<220>
<221>   modified_base
<222>   (36)..(36)
<223>   um


<220>
<221>   modified_base
<222>   (38)..(39)
<223>   um


<220>
<221>   modified_base
<222>   (14)..(15)
<223>   ps = phosphorothioate linkage
```

```
<400>  27
gacagcuucc uccugaugag gtaacgaaau gcuucucuuc
     40
```

```
<210>  28
<211>  44
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  PDGF293 MR11 (44-mer miniribozyme)

<220>
<221>  modified_base
<222>  (5)..(5)
<223>  cm


<220>
<221>  modified_base
<222>  (8)..(8)
<223>  cm


<220>
<221>  modified_base
<222>  (11)..(12)
<223>  cm


<220>
<221>  modified_base
<222>  (14)..(15)
<223>  cm


<220>
<221>  modified_base
<222>  (34)..(34)
<223>  cm


<220>
<221>  modified_base
<222>  (37)..(37)
<223>  cm
```

```
<220>
<221>  modified_base
<222>  (39)..(39)
<223>  cm


<220>
<221>  modified_base
<222>  (42)..(43)
<223>  cm


<220>
<221>  modified_base
<222>  (9)..(10)
<223>  um


<220>
<221>  modified_base
<222>  (13)..(13)
<223>  um


<220>
<221>  modified_base
<222>  (19)..(19)
<223>  um


<220>
<221>  modified_base
<222>  (32)..(32)
<223>  um


<220>
<221>  modified_base
<222>  (35)..(36)
<223>  um


<220>
<221>  modified_base
<222>  (38)..(38)
<223>  um
```

```
<220>
<221>  modified_base
<222>  (40)..(41)
<223>  um


<220>
<221>  modified_base
<222>  (16)..(17)
<223>  ps = phosphorothioate linkage


<400>  28
gggacagcuu ccuccugaug aggtaacgaa augcuucucu ucct
    44


<210>  29
<211>  36
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  PDGF293 MR12  (36-mer miniribozyme)

<220>
<221>  modified_base
<222>  (1)..(1)
<223>  cm


<220>
<221>  modified_base
<222>  (4)..(4)
<223>  cm


<220>
<221>  modified_base
<222>  (7)..(8)
<223>  cm


<220>
<221>  modified_base
<222>  (10)..(11)
<223>  cm
```

```
<220>
<221>   modified_base
<222>   (23)..(23)
<223>   cm


<220>
<221>   modified_base
<222>   (30)..(30)
<223>   cm


<220>
<221>   modified_base
<222>   (33)..(33)
<223>   cm


<220>
<221>   modified_base
<222>   (35)..(35)
<223>   cm


<220>
<221>   modified_base
<222>   (5)..(6)
<223>   um


<220>
<221>   modified_base
<222>   (9)..(9)
<223>   um


<220>
<221>   modified_base
<222>   (15)..(15)
<223>   um


<220>
<221>   modified_base
<222>   (20)..(20)
<223>   um
```

<220>
<221> modified_base
<222> (28)..(28)
<223> um

<220>
<221> modified_base
<222> (31)..(32)
<223> um

<220>
<221> modified_base
<222> (34)..(34)
<223> um

<220>
<221> modified_base
<222> (12)..(13)
<223> ps = phosphorothioate linkage

<400> 29
cagcuuccuc cugaugaggu aacgaaaugc uucuct
      36

<210> 30
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> PDGF293 MR13 (36-mer inactive miniribozyme)

<220>
<221> modified_base
<222> (1)..(1)
<223> cm

<220>
<221> modified_base
<222> (4)..(4)

<223>   cm

<220>
<221>   modified_base
<222>   (7)..(8)
<223>   cm

<220>
<221>   modified_base
<222>   (10)..(11)
<223>   cm

<220>
<221>   modified_base
<222>   (30)..(30)
<223>   cm

<220>
<221>   modified_base
<222>   (33)..(33)
<223>   cm

<220>
<221>   modified_base
<222>   (35)..(35)
<223>   cm

<220>
<221>   modified_base
<222>   (5)..(6)
<223>   um

<220>
<221>   modified_base
<222>   (9)..(9)
<223>   um

<220>
<221>   modified_base
<222>   (15)..(15)

```
<223>   um


<220>
<221>   modified_base
<222>   (28)..(28)
<223>   um


<220>
<221>   modified_base
<222>   (31)..(32)
<223>   um


<220>
<221>   modified_base
<222>   (34)..(34)
<223>   um


<220>
<221>   modified_base
<222>   (12)..(13)
<223>   ps = phosphorothioate


<400>   30
cagcuuccuc cugaugaggt aacgagaugc uucuct
     36


<210>   31
<211>   25
<212>   RNA
<213>   Artificial Sequence

<220>
<223>   PDGF S25

<400>   31
aggaagagaa gcaucgagga agcug
     25


<210>   32
<211>   19
<212>   DNA
```

<213>   Artificial Sequence

<220>
<223>   PDGF293 Antisense

<400>   32
agcttcctcg atgcttctc
    19

<210>   33
<211>   18
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   N4g5-1 clone

<400>   33
ctgatgagtt atcgaaac
    18

<210>   34
<211>   18
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   N4g5-2 clone

<400>   34
ctgatgaggt aacgaaac
    18

<210>   35
<211>   18
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   N4g5-3 clone

<400>   35
ctgatgagac cccgaaac
    18

<210> 36
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> N4g5-4 clone

<400> 36
ctgatgagat aacgaaac
    18

<210> 37
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> N4g5-5 clone

<400> 37
ctgatgagac cccgaac
    17

<210> 38
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> N4g5-7 clone

<400> 38
ctgatgagac cccgaaac
    18

<210> 39
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> N4g5-9 clone

```
<400>    39
ctgatgagat accgaaac
      18
```

```
<210>    40
<211>    18
<212>    DNA
<213>    Artificial Sequence

<220>
<223>    N4g5-11 clone

<400>    40
ctgatgagat accgaaac
      18
```

```
<210>    41
<211>    18
<212>    DNA
<213>    Artificial Sequence

<220>
<223>    N4g5-13 clone

<400>    41
ctgatgagtt tccgaaac
      18
```

```
<210>    42
<211>    18
<212>    DNA
<213>    Artificial Sequence

<220>
<223>    N4g5-14 clone

<400>    42
ctgatgagtt ttcgaaac
      18
```

```
<210>    43
<211>    18
<212>    DNA
<213>    Artificial Sequence
```

<220>
<223> N4g5-15 clone

<400> 43
ctgatgagtt accgaaac
      18

<210> 44
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> N4g5-16 clone

<400> 44
ctgatgagac accgaaac
      18

<210> 45
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> N4g5-17 clone

<400> 45
ctgatgagtt aacgaaac
      18

<210> 46
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> N4g5-18 clone

<400> 46
ctgatgagtt accgaaac
      18

<210> 47
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> N4g5-19 clone

<400> 47
ctgatgagac cccgaaac
    18

<210> 48
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> N4g5-21 clone

<400> 48
ctgatgagtt tacgaaac
    18

<210> 49
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> N4g5-23 clone

<400> 49
ctgatgagac cccgaaac
    18

<210> 50
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> N4g5-24 clone

<400> 50

```
ctgatgagtt accgaaac
     18
```

```
<210>   51
<211>   18
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   N4g5-26 clone

<400>   51
ctgatgagtt accgaaac
     18
```

```
<210>   52
<211>   17
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   N4g5-27 clone

<400>   52
ctgatgagac cccgaac
     17
```

```
<210>   53
<211>   18
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   N4g5-28 clone

<400>   53
ctgatgagtt atcgaaac
     18
```

```
<210>   54
<211>   18
<212>   DNA
<213>   Artificial Sequence
```

<220>
<223> N4g5-30 clone

<400> 54
ctgatgagtt tacgaaac
      18

<210> 55
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> N4g5-31 clone

<400> 55
ctgatgagtt tacgaaac
      18

<210> 56
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> N4g5-32 clone

<400> 56
ctgatgagac cccgaaac
      18

<210> 57
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> N5g5-2 clone

<400> 57
ctgatgagtc ctacgaaac
      19

<210> 58

<211>   19
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   N5g5-7 clone

<400>   58
ctgatgagtc ccacgaaac
    19

<210>   59
<211>   19
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   N5g5-10 clone

<400>   59
ctgatgagaa tttcgaaac
    19

<210>   60
<211>   19
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   N5g5-11 clone

<400>   60
ctgatgagtc ccacgaaac
    19

<210>   61
<211>   19
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   N5g5-16 clone

<400>   61
ctgatgagtt aaacgaaac

19

<210> 62
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> N5g5-19 clone

<400> 62
ctgatgagtc ccacgaaac
    19

<210> 63
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> N5g5-20 clone

<400> 63
ctgatgagtc ccccgaaac
    19

<210> 64
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> N5g5-21 clone

<400> 64
ctgatgagca ccccgaaac
    19

<210> 65
<211> 19
<212> DNA
<213> Artificial Sequence

<220>

<223>   N5g5-22 clone

<400>   65
ctgatgagtc ccacgaaac
     19

<210>   66
<211>   19
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   N5g5-25 clone

<400>   66
ctgatgagtg tcccgaaac
     19

<210>   67
<211>   19
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   N5g5-26 clone

<400>   67
ctgatgagtt ttacgaaac
     19

<210>   68
<211>   18
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   N5g5-27 clone

<400>   68
ctgatgagaa tttcgaac
     18

<210>   69
<211>   19

```
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   N5g5-31 clone

<400>   69
ctgatgagtc ccacgaaac
      19


<210>   70
<211>   19
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   N5g5-32 clone

<400>   70
ctgatgagtg ttacgaaac
      19


<210>   71
<211>   19
<212>   DNA
<213>   Artificial Sequence

<220>
<223>    N5g5-33 clone

<400>   71
ctgatgagtc ccacgaaac
      19


<210>   72
<211>   19
<212>   DNA
<213>   Artificial Sequence

<220>
<223>   N5g5-36 clone

<400>   72
ctgacgagtc ccacgaaac
      19
```

```
<210>   73
<211>   48
<212>   RNA
<213>   Artificial Sequence

<220>
<223>   N18g0 Ribozyme

<220>
<221>   misc_feature
<222>   (13)..(30)
<223>   n = c, g, a, u


<400>   73
ggcccaaugc aannnnnnnnn nnnnnnnnnn aggaucaacg guaccgag
     48



<210>   74
<211>   49
<212>   RNA
<213>   Artificial Sequence

<220>
<223>   N4g0 Ribozyme

<220>
<221>   misc_feature
<222>   (22)..(25)
<223>   n = c, g, a, u


<400>   74
gggcccaaug caacugauga gnnnncgaaa caggaucaac gguaccgag
     49
```